Available online at www.sciencedirect.com

SCIENCE DIRECT

ELSEVIER

Surgical Neurology 65 (2006) 637–646

SURGICAL NEUROLOGY

www.surgicalneurology-online.com

# Author Index

A

Acebes JJ. *See* Brell M

Adeolu AA, Shokunbi MT, Malomo AO, Komolafe EO, Olateju SO, Amusa YB. Compound elevated skull fracture: a forgotten type of skull fracture, 503

Agrillo U, Mastronardi L. Acute combination fracture of atlas and axis: "triple" anterior screw fixation in a 92-year-old man: technical note, 58

Ahmed K. *See* Naim-ur-Rahman

Ahmed S. *See* Naim-ur-Rahman

Ahn YH. *See* Park SW

Akil H. Re: cerebellar mutism in adults after posterior fossa surgery: a report of 2 cases (Sherman JH et al. Surg Neurol 2005;63:476-9), 424-rc

Akimura T. *See* Morioka J

Akino M. *See* Hida K

Alaraj AM. *See* Khalil IM

Albanese A. *See* Fernandez E

Alen J. *See* Miranda P

Alleyne CH Jr. Nonsuture dural repair using polyglycolic acid mesh and fibrin glue: clinical application to spinal surgery, 142-com

Altinoz MA, Bilir A, Del Maestro RF, Tuna S, Ozcan E, Gedikoglu G. Noscapine and diltiazem augment taxol and radiation-induced s-phase arrest and clonogenic death of C6 glioma in vitro, 478

Amusa YB. *See* Adeolu AA

Andrews DW. Fractionated stereotactic radiotherapy in the treatment of exclusive cavernous sinus meningioma: functional outcome, local control, and tolerance, 33-com

Andrews DW. Uncommon presentation of pediatric ruptured intracranial aneurysm after radiotherapy for retinoblastoma. case report, 395-com

Annie Hsieh W. *See* Chen S-Y

Aoki T, Tashiro Y, Fujita K, Kajiwara M. Parry-romberg syndrome with a giant internal carotid artery aneurysm, 170

Arce-Arellano RI. *See* Tena-Suck ML

Arnold PM. *See* Vancura RW

Arrese I. *See* Miranda P

Ashby L. Leptomeningeal carcinomatosis in a patient with metastatic prostate cancer: case report and literature review, 375-com

Assirati JA Jr. *See* Colli BO

Atkinson JL. Proximal nerve root capillary hemangioma presenting as a lung mass with bandlike chest pain: case report and review of literature, 589-com

Ausman JI. A revolution in skull base surgery: the quality of life matters!, 635-ed

Ausman JI. Evaluation of motion produced in adjacent segments after use of an anterior cervical cage or artificial cervical disc: evaluation of a recently published study in the *Journal of Neurosurgery Spine* 2005, 522-ed

Ausman JI. *Handbook of Neurosurgery, 6th ed*, 525-br

Ausman JI. How can you change direction in neurosurgery to adapt to the changes in our specialty? strategies for your future, 102-ed

Ausman JI. I told you it was going to happen... Part II, 520-ed

Ausman JI. In this issue, 1-ed, 105-ed, 215-ed, 321-ed, 425-ed, 529-ed

Ausman JI. Perioperative genomics, 422-ed

Ausman JI. The future for neurology and psychiatry, 212-ed

Ausman JI. Transsulcal microsurgical approach for subcortical small brain lesions: technical note, 314-com

Ausman JI. Why omega-3 fatty acids are important to neurosurgeons, 325-ed

Ausman JI. You are going to live to 120 years of age!, 109-ed

Awad IA. Cavernous sinus dural arteriovenous fistula complicated by pontine venous congestion. a case report, 519-com

Aydin Y. *See* Çavuşoğlu H, Kaya RA

B

Baba S. *See* Ezaki Y

Baringer JR. *See* Ragel BT

Barrow DL. Factors that affect the surgical outcomes of spinal dural arteriovenous fistulas, 568-com

Baskaya MK. *See* Jea A

Batjer HH. Vertebral artery injury after blunt cervical trauma: an update, 245-com

Bayazit YA. *See* Goksu N

br = book review; ed = editorial; en = editor's note; le = letter or reader's comment; com = commentary; cd = case description; rc = resident's corner; epil = epilogue.

0090-3019/$ – see front matter
doi:10.1016/S0090-3019(06)00212-6

Baykara O. *See* Tanriverdi T
Bayramoglu I. *See* Goksu N
Beck J, Rohde S, Berkefeld J, Seifert V, Raabe A. Size and location of ruptured and unruptured intracranial aneurysms measured by 3-dimensional rotational angiography, 18
Beems T, Menovsky T, Lammens M. Hemorrhagic colloid cyst: case report and review of the literature, 84
Benglis D. *See* Jea A
Benzel EC. Retroperitoneal approach for lumbar interbody fusion with anterolateral instrumentation for treatment of spondylolisthesis and degenerative foraminal stenosis, 116-com
Benzil DL. *See* Omeis I
Berkefeld J. *See* Beck J
Bhandari A, Patel PR, Patel MP. Extranodal rosai-dorfman disease with multiple spinal lesions: a rare presentation, 308
Bhattarai B. *See* Tao X
Bilir A. *See* Altinoz MA
Biol AS. *See* Tena-Suck ML
Blount JP. *See* Liechty PG
Bordignon KC, Neto MC, Ramina R, de Meneses MS, Zazula AD, de Almeida LGMP. Patterns of neuroaxis dissemination of gliomas: suggestion of a classification based on magnetic resonance imaging findings, 472
Bost JW. *See* Maroon JC
Braun A. *See* Omeis I
Brell M, Villà S, Teixidor P, Lucas A, Ferrán E, Marín S, Acebes JJ. Fractionated stereotactic radiotherapy in the treatment of exclusive cavernous sinus meningioma: functional outcome, local control, and tolerance, 28
Bristol RE. *See* Horn EM
Brotchi J. *See* Pirotte B
Browd SR. *See* Ragel BT
Budur K. *See* Sade B
Bulsara KR, Velez DA, Villavicencio A. Rotational vertebral artery insufficiency resulting from cervical spondylosis: case report and review of the literature, 625
Burry MV. *See* Velat GJ
Burton CV. Failed back surgery patients: the alarm bells are ringing, 5-ed
Burton CV. Retroperitoneal approach for lumbar interbody fusion with anterolateral instrumentation for treatment of spondylolisthesis and degenerative foraminal stenosis, 116-com
Buyra N. *See* Tanriverdi T

C
Cai B. *See* Li H
Can SM. *See* Çavuşoğlu H
Cappabianca P, Esposito F, Cavallo LM, Messina A, Solari D, di Somma LG, de Divitiis E. Use of equine collagen foil as dura mater substitute in endoscopic endonasal transsphenoidal surgery, 144
Cappabianca P. Advice for a young neurosurgeon, 35-ed
Cappabianca P. Endonasal transsphenoidal surgery: the patient's perspective—survey results from 259 patients, 341-com
Cappabianca P. Surgery as art, 315-ed
Carlotti CG Jr. *See* Colli BO
Cavallo LM. *See* Cappabianca P
Çavuçoğlu H. *See* Kaya RA
Çavuşoğlu H, Türkmenoğlu O, Kaya RA, Can SM, Aydin Y. Effects of anterior contralateral cervical microdiskectomy on radiological and clinical outcome, 446
Chacko AG. *See* Chacko G, Kumar GSS
Chacko G, Chacko AG, Rajshekhar V, Muliyil JP. Intracranial hemangiopericytomas: correlation of topoisomerase IIα expression with biologic behavior, 11
Chaloner C. *See* Dusick JR
Chamoun RB. *See* Khalil IM
Chan CHP, Fabinyi GC, Kalnins RM. An unusual case of tumor-to-cavernoma metastasis. a case report and literature review, 402
Chang C-S. *See* Cho D-Y, Chuang H-C
Chang L. *See* Huang S-J
Charbel FT. *See* Neckrysh S
Chen C-C. *See* Cho D-Y, Chuang H-C
Chen S-Y, Lee C-C, Lin S-H, Hsin Y-L, Lee T-W, Yen P-S, Chou Y-C, Lee C-W, Annie Hsieh W, Su C-F, Lin S-Z. Microelectrode recording can be a good adjunct in magnetic resonance image–directed subthalamic nucleus deep brain stimulation for parkinsonism, 253
Chhabra R. *See* Mohindra S
Chiu C-D, Chung W-Y, Pan DH-C, Wong T-T, Shih Y-H, Lee L-S. Gamma knife radiosurgery for intracranial mature teratoma—long-term results and review of literature, 343
Cho D-Y, Chen C-C, Chang C-S, Lee W-Y, Tso M. Endoscopic surgery for spontaneous basal ganglia hemorrhage: comparing endoscopic surgery, stereotactic aspiration, and craniotomy in noncomatose patients, 547
Cho D-Y. *See* Chuang H-C, Lee H-C
Cho KG. *See* Park SW
Cho KH. *See* Park SW
Chou Y-C. *See* Chen S-Y
Chu S, Yuan X, Li Z, Jiang P, Zhang J. C-met antisense oligodeoxynucleotide inhibits growth of glioma cells, 533
Chuang C-L. *See* Lee K-S
Chuang H-C, Cho D-Y, Chang C-S, Lee W-Y, Jung-Chung C, Lee H-C, Chen C-C. Efficacy and safety of the use of titanium mesh cages and anterior cervical plates for interbody fusion after anterior cervical corpectomy, 464
Chung W-Y. *See* Chiu C-D
Cole HO. Brain abscess in 142 patients: factors influencing outcome and mortality, 562-com
Colli BO, Carlotti CG Jr, Assirati JA Jr, Marques W Jr. Neurogenic thoracic outlet syndromes: a comparison of true and nonspecific syndromes after surgical treatment, 262
Cone LA, Koochek K, Henager HA, Fausel R, Gade-Andavolu R, Potts BE, Jennings LM. Leptomeningeal

carcinomatosis in a patient with metastatic prostate cancer: case report and literature review, 372
Contratt F, Menniti A, Fraioli MF, Fraioli B. Fibrous dysplasia of the clivus with a second T8 bone lesion: case report, 202
Cukiert A. *See* Vieira JO Jr

D
Dailey AT. *See* Ragel BT
Date I. *See* Tokunaga K
de Almeida LGMP. *See* Bordignon KC
de Divitiis E. *See* Cappabianca P
de Meneses MS. *See* Bordignon KC
de Oliveira E. *See* Rojas-Zalazar D
De Salles AA. *Animal models of movement disorders*, 525-br
Debono B, Derrey S, Rabehenoina C, Proust F, Freger P, Laquerrière A. Primary diffuse multinodular leptomeningeal gliomatosis: case report and review of the literature, 273
Debrun G. Aneurysmal embolization of a blisterlike aneurysm of the internal carotid artery: a case report and review of the literature, 630-com
Debrun G. Bilateral segmental absence of the internal carotid artery with rete compensation associated with absence of basilar artery: case report, 619-com
Debrun G. Direct access to the carotid circulation by cut down for endovascular neuro-interventions, 211-com
Del Maestro RF. *See* Altinoz MA
Delfini R. *See* Passacantilli E, Ramieri A
Demaerel P. *See* Van Calenbergh F
Denaro L. *See* Fernandez E
Derrey S. *See* Debono B
Desai KI, Nadkarni TD, Fattepurkar SC, Goel AH. Pineal epidermoid cysts: a study of 24 cases, 124
Dettorre RR. *See* Velat GJ
Di Rocco C. A long-term ventricular drainage for patients with germ cell tumors or medulloblastoma, 80-com
di Somma LG. *See* Cappabianca P
Dickerman RD, Morgan B. Re: poor surgical technique in cervical plating leading to vertebral artery injury and brain stem infarction—case report (Cho KH, Shin YS, Yoon SH, et al. Surg Neurol 2005;64:221-5), 317-rc
Dickey P. The key to improving prognosis for aneurysmal subarachnoid hemorrhage remains in the prehospitalization period, 365-com
Dickman A. Efficacy and safety of the use of titanium mesh cages and anterior cervical plates for interbody fusion after anterior cervical corpectomy, 471-com
Dickman CA. *See* Klopfenstein JD
Dickman CA. Sterile recurrent spinal epidural abscess in a patient with Crohn's disease: a case report, 184-com
Domenicucci M. *See* Ramieri A
Drey JP. *See* Lazar M
Dusick JR, Esposito F, Mattozo CA, Chaloner C, McArthur DL, Kelly DF. Endonasal transsphenoidal surgery: the patient's perspective—survey results from 259 patients, 332

E
Epstein N. Prolonged jackson-pratt drainage in the management of lumbar cerebrospinal fluid leaks, 415-com
Eskioglu E. *See* Lang S-S, Velat GJ
Esposito F. *See* Cappabianca P, Dusick JR
Ezaki Y, Takahata H, Kamada K, Baba S, Kaminogo M. Aneurysmal embolization of a blisterlike aneurysm of the internal carotid artery: a case report and review of the literature, 628

F
Fabinyi GC. *See* Chan CHP
Fager CA. Malpractice issues in neurological surgery, 416-ed
Farhat H. *See* Jea A
Fassett DR. *See* Ragel BT
Fattepurkar SC. *See* Desai KI
Fausel R. *See* Cone LA
Feiz-Erfan I. *See* Horn EM, Klopfenstein JD
Fernandez E, Mannino S, Tufo T, Pallini R, Lauretti L, Albanese A, Denaro L. The adult "paraplegic" rat: treatment with cell graftings, 223
Ferrán E. *See* Brell M
Firment CS. *See* Velat GJ
Flamen P. *See* Van Calenbergh F
Fowler M. *See* Nanda A
Fraioli B. *See* Contratt F
Fraioli MF. *See* Contratt F
Franco K. *See* Sade B
Freger P. *See* Debono B
Fujii K. *See* Kawashima M, Sato K
Fujii M. *See* Morioka J
Fujisawa H. *See* Morioka J
Fujita K. *See* Aoki T
Fukuda T. *See* Ogasawara K

G
Gade-Andavolu R. *See* Cone LA
Ganapathy K, Winston T, Seshadri V. Posterior interosseous nerve palsy due to intermuscular lipoma, 495
Gatherer A. *See* Hattori N
Gaviria M. Major depression with psychosis after resection of a giant middle fossa hemangiopericytoma, 292-com
Gedikoglu G. *See* Altinoz MA
Gelfenbeyn M, Goodkin R, Kliot M. Sterile recurrent spinal epidural abscess in a patient with Crohn's disease: a case report, 178
Genç HA. *See* Kaya RA
George B. Usefulness of transcervical approach for surgical treatment of hypoglossal schwannoma with paraspinal extension: case report, 401-com
German M. *See* Hughes SA
Goel AH. *See* Desai KI
Goksu N, Bayazit YA, Bayramoglu I, Isik B, Yilmaz M, Kurtipek O, Uygur K. Surgical exposure in retrosigmoid approach: do we need cerebellar retractors?, 631

Gonzales-Portillo GA, Valdivia JMV. Uncommon presentation of pediatric ruptured intracranial aneurysm after radiotherapy for retinoblastoma. case report, 391
Goodkin R. *See* Gelfenbeyn M
Goodrich JT. *Advanced pediatric craniocervical surgery*, 526-br
Goodrich JT. Usefulness of transcervical approach for surgical treatment of hypoglossal schwannoma with paraspinal extension: case report, 401-com
Grupka N, Seinfeld J, Ryder J, Lillehei K, Kleinschmidt-DeMasters B. Secondary central nervous system involvement by follicular lymphoma: case report and review of the literature, 590
Guidetti G. *See* Passacantilli E
Guiot BH. *See* Inamasu J
Gupta SK. *See* Mohindra S
Gurusinghe N. *See* Iyer R

H
Ha TM. *See* Vancura RW
Haase J. Neuroenteric cyst of the anterior cranial fossa: case report and review of the literature, 177-com
Hamada J-i, Morioka M, Kai Y, Sakurama T, Kuratsu J-i. Spontaneous arteriovenous fistula of the orbit: case report, 55
Hamada J-i. *See* Kai Y, Matsumoto J
Han Y-Y. *See* Huang S-J
Harrington TR. *See* Horn EM
Harter DH. *See* Omeis I
Hattori N, Katayama Y, Maya Y, Gatherer A. Impact of stereotactic hematoma evacuation on medical costs during the chronic period in patients with spontaneous putaminal hemorrhage: a randomized study, 429
He M. *See* Li H
Helm J. *See* Renner C
Henager HA. *See* Cone LA
Hernesniemi J. *See* Nagy L, Niemelä M
Hida K, Yamaguchi S, Seki T, Yano S, Akino M, Terasaka S, Uchida T, Iwasaki Y. Nonsuture dural repair using polyglycolic acid mesh and fibrin glue: clinical application to spinal surgery, 136
Hier DB. *Thrombolytic therapy for acute stroke, 2nd ed*, 423-br
Higashi T. *See* Iwamuro Y
Hillard VH. *See* Omeis I
Hirata E. *See* Iwamuro Y
Hoff JT. Endoscopic surgery for spontaneous basal ganglia hemorrhage: comparing endoscopic surgery, stereotactic aspiration, and craniotomy in noncomatose patients, 555-com
Hoff JT. Impact of stereotactic hematoma evacuation on medical costs during the chronic period in patients with spontaneous putaminal hemorrhage: a randomized study, 435-com
Hoff JT. Surgery for spontaneous intracerebral hemorrhage has greater remedial value than conservative therapy, 72-com
Hopkins LN. *See* Sauvageau E
Horn EM, Feiz-Erfan I, Bristol RE, Spetzler RF, Harrington TR. Bedside twist drill craniostomy for chronic subdural hematoma: a comparative study, 150
Hoshino T, Katayama Y, Sakatani K, Kano T, Murata Y. Intraoperative monitoring of cerebral blood oxygenation and hemodynamics during extracranial-intracranial bypass surgery by a newly developed visible light spectroscopy system, 569
Hovda D. Lack of association between the *IL1A* gene (−889) polymorphism and outcome after head injury, 10-com
Howng S-L. *See* Lee K-S
Hsin Y-L. *See* Chen S-Y
Huang JH. *See* Zager EL
Huang S-J, Chang L, Han Y-Y, Lee Y-C, Tu Y-K. Efficacy and safety of hypertonic saline solutions in the treatment of severe head injury, 539
Hughes SA, Ozgur BM, German M, Taylor WR. Prolonged jackson-pratt drainage in the management of lumbar cerebrospinal fluid leaks, 410
Huh JS. *See* Park SW
Hunt CD. Bedside twist drill craniostomy for chronic subdural hematoma: a comparative study, 153-com
Hwang S-L. *See* Lee K-S

I
Inamasu J, Guiot BH. Vertebral artery injury after blunt cervical trauma: an update, 238
Inci S. *See* Ozisik PA
Inoue T. *See* Ogasawara K, Song J
Is M. *See* Tanriverdi T
Ishii K. *See* Nagy L
Isik B. *See* Goksu N
Iwaasa M. *See* Iwamuro Y
Iwamuro Y, Nakahara I, Higashi T, Iwaasa M, Watanabe Y, Hirata E, Tsunetoshi K, Taha M. Tentorial dural arteriovenous fistula presenting symptoms due to mass effect on the dilated draining vein: case report, 511
Iwasaki M, Murakami K, Tomita T, Numagami Y, Nishijima M. Cavernous sinus dural arteriovenous fistula complicated by pontine venous congestion. a case report, 516
Iwasaki Y. *See* Hida K
Iyer R, Gurusinghe N. Re: subarachnoid hemorrhage on computed tomography scanning and the development. Surg Neurol 2005;63:229-35, 316-rc

J
Jääskeläinen J. *See* Nagy L
Jabre A, Patel A. Transsulcal microsurgical approach for subcortical small brain lesions: technical note, 312
Japan Standard Stroke Registry Group (JSSR). *See* Morioka J
Jea A, Baskaya MK, Farhat H, Benglis D, Zauner A. Pneumocephalus in a patient with a ventriculoperitoneal shunt after percutaneous gastrojejunostomy catheter placement: case report, 87
Jennings LM. *See* Cone LA

Jiang P. *See* Chu S
Jin H. *See* Tao X
Jinnai T. *See* Kagawa M
Jiong C. *See* Tao X
Ju Y. *See* Li H
Jung-Chung C. *See* Chuang H-C

K

Kagawa M, Jinnai T, Matsumoto Y, Kawai N, Kunishio K, Tamiya T, Nagao S. Chiari I malformation accompanied by assimilation of the atlas, klippel-feil syndrome, and syringomyelia: case report, 497
Kagawa T. *See* Miyazaki T
Kai Y, Hamada J-i, Morioka M, Yano S, Kudo M, Kuratsu J-i. Treatment of unruptured duplicated middle cerebral artery aneurysm: case report, 190
Kai Y. *See* Hamada J-i
Kajiwara M. *See* Aoki T
Kalnins RM. *See* Chan CHP
Kamada K. *See* Ezaki Y
Kambe A, Tanaka Y, Numata H, Kawakami S, Kurosaki M, Ohtake M, Kamitani H, Miyata H, Ohama E, Watanabe T. A case of tolosa-hunt syndrome affecting both the cavernous sinuses and the hypophysis, and associated with C3 and C4 aneurysms, 304
Kaminogo M. *See* Ezaki Y
Kamitani H. *See* Kambe A
Kanaan IN, Sakati N, Otaibi F. Type I congenital multiple intraspinal extradural cysts associated with distichiasis and lymphedema syndrome, 162
Kang JS, Lillehei KO, Kleinschmidt-DeMasters BK. Proximal nerve root capillary hemangioma presenting as a lung mass with bandlike chest pain: case report and review of literature, 584
Kangasniemi M. *See* Niemelä M
Kano T. *See* Hoshino T
Kanpolat Y. Comparative dural closure techniques: a safety study in rats, 47-com
Karatas A. *See* Nagy L
Katayama Y. *See* Hattori N, Hoshino T
Kato S. *See* Morioka J
Kawahara N. Berkefeld J, Seifert V, Raabe A. Size and location of ruptured and unruptured intracranial aneurysms measured by 3-dimensional rotational angiography, 25-com
Kawahara N. Spontaneous arteriovenous fistula of the orbit: case report, 57-com
Kawahara N. Treatment of unruptured duplicated middle cerebral artery aneurysm: case report, 193-com
Kawai N. *See* Kagawa M
Kawakami S. *See* Kambe A
Kawashima M, Li X, Rhoton AL Jr, Ulm AJ, Oka H, Fujii K. Surgical approaches to the atrium of the lateral ventricle: microsurgical anatomy, 436
Kaya RA, Türkmenoğlu ON, Koç ÖN, Genç HA, Çavuçoğlu H, Ziyal İM, Aydın Y. A perspective for the selection of surgical approaches in patients with upper thoracic and cervicothoracic junction instabilities, 454
Kaya RA. *See* Çavuşoğlu H
Kelly DF. *See* Dusick JR
Kepes JJ. *See* Vancura RW
Khalil IM, Alaraj AM, Otrock ZK, Chamoun RB, Sabbagh AS, Skaf GS. Aneurysmal bone cyst of the cervical spine in a child: case report and review of the surgical role, 298
Khosla VK. *See* Mohindra S
Kim LJ, Spetzler RF. Factors that affect the surgical outcomes of spinal dural arteriovenous fistulas, 568-com
Kim LJ. *See* Klopfenstein JD
Kim MS, Lee S-J, Lee CH, Park HI. Bilateral segmental absence of the internal carotid artery with rete compensation associated with absence of basilar artery: case report, 615
Kim MS. Bilateral segmental absence of the internal carotid artery with rete compensation associated with absence of basilar artery: case report, 620-com
Kim SH. *See* Park SW
Kiratli H. Response, 316-rc
Kleinschmidt-DeMasters B. *See* Grupka N
Kleinschmidt-DeMasters BK. *See* Kang JS
Kliot M. *See* Gelfenbeyn M
Klopfenstein JD, Kim LJ, Feiz-Erfan I, Dickman CA. Retroperitoneal approach for lumbar interbody fusion with anterolateral instrumentation for treatment of spondylolisthesis and degenerative foraminal stenosis, 111
Kobayashi M. *See* Ogasawara K
Kobayashi S. *See* Morioka J
Koç ÖN. *See* Kaya RA
Kochi M. *See* Matsumoto J
Kodama N. Intraoperative monitoring of cerebral blood oxygenation and hemodynamics during extracranial-intracranial bypass surgery by a newly developed visible light spectroscopy system, 576-com
Komolafe EO. *See* Adeolu AA
Komoribayashi N. *See* Ogasawara K
Koochek K. *See* Cone LA
Kubo Y. *See* Saito H
Kudo M. *See* Kai Y
Kumar GSS, Poonnoose SI, Chacko AG, Rajshekhar V. Trigonal cavernous angiomas: report of three cases and review of literature, 367
Kunishio K. *See* Kagawa M
Kuratsu J-i. *See* Hamada J-i, Kai Y, Matsumoto J
Kurosaki M. *See* Kambe A
Kurtipek O. *See* Goksu N

L

Lagares A. *See* Miranda P
Laidlaw JD. Bedside twist drill craniostomy for chronic subdural hematoma: a comparative study, 153-com
Laidlaw JD. Brain abscess in 142 patients: factors influencing outcome and mortality, 562-com

Laidlaw JD. Endoscopic surgery for spontaneous basal ganglia hemorrhage: comparing endoscopic surgery, stereotactic aspiration, and craniotomy in noncomatose patients, 555-com
Lammens M. *See* Beems T
Lang S-S, Eskioglu E, A. Mericle R. Intraoperative angiography for neurovascular disease in the prone or three-quarter prone position, 283
Laquerrière A. *See* Debono B
Lauretti L. *See* Fernandez E
Laws ER Jr. Evaluation of magnetic resonance imaging criteria for cavernous sinus invasion in patients with pituitary adenomas: logistic regression analysis and correlation with surgical findings, 135-com
Lazar M, Rothkoff L, Drey JP. Re: transconjunctival approach for retrobulbar intraconal orbital cavernous hemangiomas. orbital surgeon's perspective. Surg Neurol 2005:64;71-74, 316-rc
Lazareff JA. *Pediatric neurovascular disease*, 526-br
Lee C-C. *See* Chen S-Y
Lee CH. *See* Kim MS
Lee C-W. *See* Chen S-Y
Lee DK. *See* Sade B
Lee H-C, Cho D-Y. Assessment of sacrum scalloping in neurofibromatosis type 1 caused by a giant cell lesion of the sacrum, 194
Lee H-C. *See* Chuang H-C
Lee JH. *See* Sade B
Lee K-S, Lin C-L, Chuang C-L, Hwang S-L, Howng S-L, Lieu A-S. Odyssey between the constellations and neuromedicine, 99
Lee L-S. *See* Chiu C-D
Lee S-J. *See* Kim MS
Lee T-W. *See* Chen S-Y
Lee W-Y. *See* Cho D-Y, Chuang H-C
Lee Y-C. *See* Huang S-J
Legius E. *See* Van Calenbergh F
LeRoux PD. *See* Smith ML
Li H, You C, Yang Y, He M, Cai B, Wang X, Ju Y. Intramedullary spinal tuberculoma: report of three cases, 185
Li TH. *See* Tao X
Li X. *See* Kawashima M
Li Z. *See* Chu S
Liau LM. C-met antisense oligodeoxynucleotide inhibits growth of glioma cells, 538-com
Liberman B. *See* Vieira JO Jr
Liechty PG, Tubbs RS, Blount JP. The use of a sump antibiotic irrigation system to save infected hardware in a patient with a vagal nerve stimulator: technical note, 48
Lieu A-S. *See* Lee K-S
Lillehei K. *See* Grupka N
Lillehei KO. Endonasal transsphenoidal surgery: the patient's perspective—survey results from 259 patients, 341-com
Lillehei KO. Patterns of neuroaxis dissemination of gliomas: suggestion of a classification based on magnetic resonance imaging findings, 477-com
Lillehei KO. *See* Kang JS
Lin C-L. *See* Lee K-S
Lin S-H. *See* Chen S-Y
Lin S-Z. *See* Chen S-Y
Lobato R. *See* Miranda P
López-Gómez M. *See* Tena-Suck ML
Lucas A. *See* Brell M
Lunsford LD. Fractionated stereotactic radiotherapy in the treatment of exclusive cavernous sinus meningioma: functional outcome, local control, and tolerance, 34-com
Lunsford LD. Noscapine and diltiazem augment taxol and radiation-induced s-phase arrest and clonogenic death of C6 glioma in vitro, 485-com
Luzardo GD. *See* Ross IB

M

Macdonald RL. Intraoperative angiography for neurovascular disease in the prone or three-quarter prone position, 289-com
Mafee MF. Assessment of sacrum scalloping in neurofibromatosis type 1 caused by a giant cell lesion of the sacrum, 198-com
Mafee MF. Fibrous dysplasia of the clivus with a second T8 bone lesion: case report, 205-com
Maiman DJ. Effects of anterior contralateral cervical microdiskectomy on radiological and clinical outcome, 453-com
Makino K. *See* Matsumoto J
Malis LI. Surgical exposure in retrosigmoid approach: do we need cerebellar retractors?, 634
Malis LI. Transsulcal microsurgical approach for subcortical small brain lesions: technical note, 313-com
Malis LI. Water dissection technique of toth for opening neurosurgical cleavage planes, 41-com
Malomo AO. *See* Adeolu AA
Mannino S. *See* Fernandez E
Margolin E. *See* Perez-Sanchez X
Marín S. *See* Brell M
Maroon JC, Bost JW. $\omega$-3 fatty acids (fish oil) as an anti-inflammatory: an alternative to nonsteroidal anti-inflammatory drugs for discogenic pain, 326
Marques W Jr. *See* Colli BO
Mastronardi L. *See* Agrillo U
Mathern GW. *Magnetic resonance in epilepsy: neuroimaging techniques, 2nd ed*, 525-br
Matsukado K. *See* Nagata S
Matsumoto J, Kochi M, Morioka M, Nakamura H, Makino K, Hamada J-i, Kuratsu J-i, Ushio Y. A long-term ventricular drainage for patients with germ cell tumors or medulloblastoma, 74
Matsumoto J. A long-term ventricular drainage for patients with germ cell tumors or medulloblastoma, 80-com
Matsumoto Y. *See* Kagawa M
Mattozo CA. *See* Dusick JR
Maya Y. *See* Hattori N
McArthur DL. *See* Dusick JR

Meixensberger J. *See* Renner C
Mendelow AD. Impact of stereotactic hematoma evacuation on medical costs during the chronic period in patients with spontaneous putaminal hemorrhage: a randomized study, 435-com
Mendelow AD. Surgery for spontaneous intracerebral hemorrhage has greater remedial value than conservative therapy, 73-com
Menezes AH. Aneurysmal bone cyst of the cervical spine in a child: case report and review of the surgical role, 303-com
Menniti A. *See* Contratt F
Menovsky T. *See* Beems T
Mericle RA. *See* Lang S-S, Velat GJ
Messina A. *See* Cappabianca P
Ming JS. *See* Tao X
Miranda P, Lagares A, Alen J, Perez-Nuñez A, Arrese I, Lobato R. Early transcranial doppler after subarachnoid hemorrhage: clinical and radiological correlations, 247
Miyata H. *See* Kambe A
Miyazaki T, Ohta F, Moritake K, Nagase A, Kagawa T. The key to improving prognosis for aneurysmal subarachnoid hemorrhage remains in the pre-hospitalization period, 360
Mizuno J. *See* Song J
Mohindra S, Chhabra R, Mukherjee KK, Gupta SK, Vaiphei K, Khosla VK. Spinal compression due to ossified yellow ligament: a short series of 5 patients and literature review, 377
Morgan B. *See* Dickerman RD
Morgan H. *Leonard Wood: rough rider, surgeon, architect of American imperialism*, 527-br
Morioka J, Fujii M, Kato S, Fujisawa H, Akimura T, Suzuki M, Kobayashi S, Japan Standard Stroke Registry Group (JSSR). Surgery for spontaneous intracerebral hemorrhage has greater remedial value than conservative therapy, 67
Morioka M. *See* Hamada J-i, Kai Y, Matsumoto J
Morioka T. *See* Nagata S
Moritake K. *See* Miyazaki T
Mortelmans L. *See* Van Calenbergh F
Mukherjee KK. *See* Mohindra S
Muliyil JP. *See* Chacko G
Mull M. *See* Thiex R
Mura J. *See* Rojas-Zalazar D
Murakami K. *See* Iwasaki M
Murali R. *See* Omeis I
Murata Y. *See* Hoshino T

N
Nadkarni TD. *See* Desai KI
Nagao S. *See* Kagawa M
Nagase A. *See* Miyazaki T
Nagata S, Morioka T, Natori Y, Matsukado K, Sasaki T, Yamada T. Factors that affect the surgical outcomes of spinal dural arteriovenous fistulas, 563
Nagy L, Ishii K, Karatas A, Shen H, Vajda J, Niemelä M, Jääskeläinen J, Hernesniemi J, Toth S. Water dissection technique of toth for opening neurosurgical cleavage planes, 38
Naim-ur-Rahman, Shahat AH, Obaideen A, Ahmed K, Ahmed S. Intramedullary lipoma of the cervicodorsal spinal cord with intracranial extension: case report, 486
Nakagawa H. *See* Song J
Nakahara I. *See* Iwamuro Y
Nakahara K. *See* Sato K
Nakamura H. *See* Matsumoto J
Nanda A, Fowler M. An unusual case of tumor-to-cavernoma metastasis. a case report and literature review, 409-com
Natori Y. *See* Nagata S
Neckrysh S, Valyi-Nagy T, Charbel FT. Neuroenteric cyst of the anterior cranial fossa: case report and review of the literature, 174
Neto MC. *See* Bordignon KC
Newell KL. *See* Vancura RW
Niemelä M, Hernesniemi J. The key to improving prognosis for aneurysmal subarachnoid hemorrhage remains in the pre-hospitalization period, 366-com
Niemelä M, Kangasniemi M, Hernesniemi J. Berkefeld J, Seifert V, Raabe A. Size and location of ruptured and unruptured intracranial aneurysms measured by 3-dimensional rotational angiography, 26-com
Niemelä M. *See* Nagy L
Nishijima M. *See* Iwasaki M
Numagami Y. *See* Iwasaki M
Numata H. *See* Kambe A

O
Obaideen A. *See* Naim-ur-Rahman
Ogasawara K, Inoue T, Kobayashi M, Fukuda T, Komoribayashi N, Saitoh H, Yamadate K, Ogawa A. Cognitive impairment associated with intraoperative and postoperative hypoperfusion without neurologic deficits in a patient undergoing carotid endarterectomy, 577
Ogasawara K. *See* Saito H
Ogawa A. *See* Ogasawara K, Saito H
Ohama E. *See* Kambe A
Ohta F. *See* Miyazaki T
Ohtake M. *See* Kambe A
Oka H. *See* Kawashima M, Sato K
Olateju SO. *See* Adeolu AA
Omeis I, Hillard VH, Braun A, Benzil DL, Murali R, Harter DH. Meningioangiomatosis associated with neurofibromatosis: report of 2 cases in a single family and review of the literature, 595
Orhan H. *See* Ozisik PA
Oro' JJ. Chiari I malformation accompanied by assimilation of the atlas, klippel-feil syndrome, and syringomyelia: case report, 502-com
Otaibi F. *See* Kanaan IN
Otrock ZK. *See* Khalil IM
Ozcan E. *See* Altinoz MA
Ozgen T. *See* Ozisik PA

Ozgur BM. *See* Hughes SA
Ozisik PA, Inci S, Soylemezoglu F, Orhan H, Ozgen T. Comparative dural closure techniques: a safety study in rats, 42
Ozkara C. *See* Tanriverdi T

P
Pallini R. *See* Fernandez E
Pan DH-C. *See* Chiu C-D
Paolini S. *See* Ramieri A
Park HI. *See* Kim MS
Park SW, Cho KH, Shin YS, Kim SH, Ahn YH, Cho KG, Huh JS, Yoon SH. Helmetlike skull deformity with a large arachnoid cyst, 95
Park SW, Yoon SH, Cho KH, Shin YS. A large arachnoid cyst of the lateral ventricle extending from the supracerebellar cistern—case report, 611
Passacantilli E, Pichierri A, Guidetti G, Santoro A, Delfini R. Surgical treatment of pial cerebellar arteriovenous fistulas with aneurysm of the main feeding artery, 90
Patel A. *See* Jabre A
Patel MP. *See* Bhandari A
Patel PR. *See* Bhandari A
Patwardhan RV. *Models of seizures and epilepsy*, 213-br
Patwardhan RV. The use of a sump antibiotic irrigation system to save infected hardware in a patient with a vagal nerve stimulator: technical note, 50-com
Pawl R. Lumbar hemorrhagic synovial cysts: diagnosis, pathogenesis, and treatment. report of 3 cases. 390-com
Pawl R. Spinal compression due to ossified yellow ligament: a short series of 5 patients and literature review, 384-com
Pawl RP. Addiction and pain medicine, 219
Pearce JE. A long-term ventricular drainage for patients with germ cell tumors or medulloblastoma, 80-com
Pearce JE. Nonsuture dural repair using polyglycolic acid mesh and fibrin glue: clinical application to spinal surgery, 143-com
Perez-Nuñez A. *See* Miranda P
Perez-Sanchez X, Umansky F, Margolin E, Spektor S. Fronto-orbital craniotomy reconstruction using the titanium clamp (Craniofix): a technical note, 51
Petrozza V. *See* Ramieri A
Pichierri A. *See* Passacantilli E
Pirotte B, Brotchi J. Lhermitte-duclos disease: $^{11}$C-methionine positron emission tomography data in 4 patients, 296-com
Plets C. *See* Van Calenbergh F
Poonnoose SI. *See* Kumar GSS
Portnoy HD. Prolonged jackson-pratt drainage in the management of lumbar cerebrospinal fluid leaks, 414-com
Post KD. Use of equine collagen foil as dura mater substitute in endoscopic endonasal transsphenoidal surgery, 149-com
Potts BE. *See* Cone LA
Proust F. *See* Debono B

R
Raabe A. *See* Beck J
Rabehenoina C. *See* Debono B
Ragel BT, Fassett DR, Baringer JR, Browd SR, Dailey AT. Decompressive hemicraniectomy for tumefactive demyelination with transtentorial herniation: observation, 582
Rajshekhar V. *See* Chacko G, Kumar GSS
Ramieri A, Domenicucci M, Seferi A, Paolini S, Petrozza V, Delfini R. Lumbar hemorrhagic synovial cysts: diagnosis, pathogenesis, and treatment. report of 3 cases, 385
Ramina R. *See* Bordignon KC
Ren W. *See* Tao X
Renbao-Bojorquez D. *See* Tena-Suck ML
Renner C, Helm J, Roth H, Meixensberger J. Intracranial dural arteriovenous fistula associated with progressive cervical myelopathy and normal venous drainage of the thoracolumbar cord: case report and review of the literature, 506
Rhoton AL Jr. *See* Kawashima M
Rigamonti D. An unusual case of tumor-to-cavernoma metastasis. a case report and literature review, 409-com
Rohde S. *See* Beck J
Roitberg B. Early transcranial doppler after subarachnoid hemorrhage: clinical and radiological correlations, 252-com
Roitberg B. Efficacy and safety of hypertonic saline solutions in the treatment of severe head injury, 546-com
Roitberg B. Pneumocephalus in a patient with a ventriculoperitoneal shunt after percutaneous gastrojejunostomy catheter placement: case report, 89-com
Roitberg B. Posterior interosseous nerve palsy due to intermuscular lipoma, 496-com
Roitberg B. Research news and notes, 3-ed, 107-ed, 217-ed, 323-ed, 427-ed, 531-ed
Rojas-Zalazar D, Mura J, de Oliveira E. Microsurgical anatomy of the anterior communicating artery complex in adult chinese heads, 161-com
Ross IB, Luzardo GD. Direct access to the carotid circulation by cut down for endovascular neuro-interventions, 207
Roth H. *See* Renner C
Rothkoff L. *See* Lazar M
Ryder J. *See* Grupka N

S
Sabbagh AS. *See* Khalil IM
Sade B, Budur K, Lee DK, Franco K, Lee JH. Major depression with psychosis after resection of a giant middle fossa hemangiopericytoma, 290
Saito H, Ogasawara K, Kubo Y, Tomitsuka N, Ogawa A. Treatment of ruptured fusiform aneurysm in the posterior cerebral artery with posterior cerebral artery-superior cerebellar artery anastomosis combined with parent artery occlusion: case report, 621
Saitoh H. *See* Ogasawara K
Sakatani K. *See* Hoshino T
Sakati N. *See* Kanaan IN

Sakurama T. *See* Hamada J-i
Salinas-Lara C. *See* Tena-Suck ML
Samson DS, Berkefeld J, Seifert V, Raabe A. Size and location of ruptured and unruptured intracranialaneurysms measured by 3-dimensional rotational angiography, 25-com
Santoro A. *See* Passacantilli E
Sanus GZ. *See* Tanriverdi T
Sasaki T. *See* Nagata S
Sato K, Shimizu S, Oka H, Nakahara K, Utsuki S, Fujii K. Usefulness of transcervical approach for surgical treatment of hypoglossal schwannoma with paraspinal extension: case report, 397
Sauvageau E, Hopkins LN. The use of abciximab in the treatment of acute cerebral thromboembolic events during neuroendovascular procedures, 358-com
Sawaya R. Patterns of neuroaxis dissemination of gliomas: suggestion of a classification based on magnetic resonance imaging findings, 477-com
Sciot R. *See* Van Calenbergh F
Seferi A. *See* Ramieri A
Seifert V. *See* Beck J
Seinfeld J. *See* Grupka N
Seki T. *See* Hida K
Selker RG. Primary diffuse multinodular leptomeningeal gliomatosis: case report and review of the literature, 282-com
Sen C. Usefulness of transcervical approach for surgical treatment of hypoglossal schwannoma with paraspinal extension: case report, 401-com
Seshadri V. *See* Ganapathy K
Shahat AH. *See* Naim-ur-Rahman
Sheikh BY. Simple and safe method of cranial reconstruction after posterior fossa craniectomy, 63
Shen H. *See* Nagy L
Shih Y-H. *See* Chiu C-D
Shimizu S. *See* Sato K
Shin YS. *See* Park SW
Shokunbi MT. *See* Adeolu AA
Skaf GS. *See* Khalil IM
Slavin KV. *Advances and Technical Standards in Neurosurgery Vol. 29*, 423-br
Slavin KV. Microelectrode recording can be a good adjunct in magnetic resonance image–directed subthalamic nucleus deep brain stimulation for parkinsonism, 260-com
Slavin KV. The use of a sump antibiotic irrigation system to save infected hardware in a patient with a vagal nerve stimulator: technical note, 49-com
Smith ML, LeRoux PD. Response, 317-rc
Solari D. *See* Cappabianca P
Solomon RA. Berkefeld J, Seifert V, Raabe A. Size and location of ruptured and unruptured intracranial aneurysms measured by 3-dimensional rotational angiography, 27-com
Solomon RA. Intraoperative angiography for neurovascular disease in the prone or three-quarter prone position, 289-com
Song J, Mizuno J, Inoue T, Nakagawa H. Clinical evaluation of traumatic central cord syndrome: emphasis on clinical significance of prevertebral hyperintensity, cord compression, and intramedullary high-signal intensity on magnetic resonance imaging, 117
Soylemezoglu F. *See* Ozisik PA
Spektor S. *See* Perez-Sanchez X
Spetzler RF. *See* Horn EM, Kim LJ
Su C-F. *See* Chen S-Y
Suzuki M. *See* Morioka J

T

Taha M. *See* Iwamuro Y
Takahata H. *See* Ezaki Y
Tamiya T. *See* Kagawa M, Tokunaga K
Tanaka Y. *See* Kambe A
Tanriverdi T, Uzan M, Sanus GZ, Baykara O, Is M, Ozkara C, Buyra N. Lack of association between the *IL1A* gene (−889) polymorphism and outcome after head injury, 7
Tao X, Yu XJ, Bhattarai B, Li TH, Jin H, Wei GW, Ming JS, Ren W, Jiong C. Microsurgical anatomy of the anterior communicating artery complex in adult chinese heads, 155
Tashiro Y. *See* Aoki T
Taylor WR. *See* Hughes SA
Teixidor P. *See* Brell M
Tena-Suck ML, López-Gómez M, Salinas-Lara C, Arce-Arellano RI, Biol AS, Renbao-Bojorquez D. Psammomatous choroid plexus papilloma: three cases with atypical characteristcs, 604
Terasaka S. *See* Hida K
Thiex R, Mull M. Basilar megadolicho trunk causing obstructive hydrocephalus at the foramina of monro, 199
Tokunaga K, Tamiya T, Date I. Transient memory disturbance after removal of an intraventricular trigonal meningioma by a parieto-occipital interhemispheric precuneus approach: case report, 167
Tominaga T. Treatment of unruptured duplicated middle cerebral artery aneurysm: case report, 193-com
Tomita T. *See* Iwasaki M
Tomitsuka N. *See* Saito H
Toth S. *See* Nagy L
Tseng J-H, Tseng M-Y. Brain abscess in 142 patients: factors influencing outcome and mortality, 557
Tseng M-Y. *See* Tseng J-H
Tso M. *See* Cho D-Y
Tsunetoshi K. *See* Iwamuro Y
Tu Y-K. *See* Huang S-J
Tubbs RS. *See* Liechty PG
Tufo T. *See* Fernandez E
Tumialán LM, Wrubel D. Re: ventricular catheter tack-down suture: technical note (Leuthardt EC, Chicoine R, Grubb RL. *Surg Neurol* 2005;64:270-1), 214-rc
Tuna S. *See* Altinoz MA
Türkmenoğlu O. *See* Çavuşoğlu H

Türkmenoğlu ON. *See* Kaya RA

U
Uchida T. *See* Hida K
Ulm AJ. *See* Kawashima M
Umansky F. *See* Perez-Sanchez X
Ushio Y. *See* Matsumoto J
Utsuki S. *See* Sato K
Uygur K. *See* Goksu N
Uzan M. *See* Tanriverdi T

V
Vaiphei K. *See* Mohindra S
Vajda J. *See* Nagy L
Valdivia JMV. *See* Gonzales-Portillo GA
Valyi-Nagy T. *See* Neckrysh S
Van Calenbergh F, Vantomme N, Flamen P, Demaerel P, Sciot R, Legius E, Mortelmans L, Plets C. Lhermitte-duclos disease: $^{11}$C-methionine positron emission tomography data in 4 patients, 293
Vancura RW, Kepes JJ, Newell KL, Ha TM, Arnold PM. Secondary intracranial neoplasms exhibiting features of astrocytoma and neuroblastoma in 2 children treated for acute lymphoblastic leukemia: report of 2 cases, 490
VanGilder JC. A case of tolosa-hunt syndrome affecting both the cavernous sinuses and the hypophysis, and associated with C3 and C4 aneurysms, 307-com
VanGilder JC. Evaluation of magnetic resonance imaging criteria for cavernous sinus invasion in patients with pituitary adenomas: logistic regression analysis and correlation with surgical findings, 135-com
Vantomme N. *See* Van Calenbergh F
Velat GJ, Burry MV, Eskioglu E, Dettorre RR, Firment CS, Mericle RA. The use of abciximab in the treatment of acute cerebral thromboembolic events during neuro-endovascular procedures, 352
Velez DA. *See* Bulsara KR
Vieira JO Jr, Cukiert A, Liberman B. Evaluation of magnetic resonance imaging criteria for cavernous sinus invasion in patients with pituitary adenomas: logistic regression analysis and correlation with surgical findings, 130
Villà S. *See* Brell M
Villavicencio A. *See* Bulsara KR

W
Wang X. *See* Li H
Watanabe T. *See* Kambe A
Watanabe Y. *See* Iwamuro Y
Wei GW. *See* Tao X
Welch WC. A perspective for the selection of surgical approaches in patients with upper thoracic and cervico-thoracic junction instabilities, 463-com
Welch WC. Spinal compression due to ossified yellow ligament: a short series of 5 patients and literature review, 384-com
Widman RA. Cognitive impairment associated with intra-operative and postoperative hypoperfusion without neurologic deficits in a patient undergoing carotid endarterectomy, 580-com
Winston T. *See* Ganapathy K
Wong T-T. *See* Chiu C-D
Wrubel D. *See* Tumialán LM

Y
Yamada T. *See* Nagata S
Yamadate K. *See* Ogasawara K
Yamaguchi S. *See* Hida K
Yang Y. *See* Li H
Yano S. *See* Hida K, Kai Y
Yen P-S. *See* Chen S-Y
Yilmaz M. *See* Goksu N
Yoon SH. Response, 318-rc
Yoon SH. *See* Park SW
Yoshida S. Intracranial metastatic parathyroid carcinoma: case report, 81
You C. *See* Li H
Yu XJ. *See* Tao X
Yuan X. *See* Chu S

Z
Zager EL, Huang JH. Neurogenic thoracic outlet syndromes: a comparison of true and nonspecific syndromes after surgical treatment, 271-com
Zauner A. *See* Jea A
Zazula AD. *See* Bordignon KC
Zhang J. *See* Chu S
Zhang R, Zhou L-F. Trigonal cavernous angiomas: report of three cases and review of literature, 371-com
Zhou L-F. *See* Zhang R
Zidan AH. Intramedullary spinal tuberculoma: report of three cases, 188-com
Ziyal İM. *See* Kaya RA
Zuccaro GN. Helmetlike skull deformity with a large arachnoid cyst, 98-com

Available online at www.sciencedirect.com

SCIENCE DIRECT®

ELSEVIER

Surgical Neurology 65 (2006) 647–655

SURGICAL NEUROLOGY

www.surgicalneurology-online.com

# Keyword Index

A

Abciximab (ReoPro), for treatment of acute cerebral thromboembolic complications during neuroendovascular procedures, 352

Acute lymphoblastic leukemia (ALL), secondary intracranial neoplasms exhibiting features of astrocytoma and neuroblastoma in children treated for, 490

Admission delay, to prognosis for aneurysmal subarachnoid hemorrhage, contribution of, 360

American Spinal Injury Association motor score, 117

Amyloidosis in choroid plexus papilloma (CPP), 604

Amyloid plaques, immune system for, 531

Anatomy
- microsurgical, of the atrium of the lateral ventricle, 436
- microsurgical anatomy of anterior communicating artery complex in adult Chinese heads, 155

Aneurysmal bone cyst
- assessment of sacrum scalloping in NF-1 caused by, 194
- of cervical spine in a child, 298

Aneurysmal subarachnoid hemorrhage (aSAH), improvement of prognosis for, 360

Aneurysm(s)
- aneurysmal embolization of blisterlike, of internal carotid artery, 628
- case of Tolosa-Hunt syndrome associated with C3 and C4, 304
- intracranial aneurysms, measurement of size and location of ruptured and unruptured aneurysm by 3-dimensional rotational angiography, 18
- Parry-Romberg syndrome with a giant internal carotid artery aneurysm, 170
- pediatric ruptured intracranial, after radiotherapy for retinoblastoma, 391
- reanalysis of the natural history of unruptured, 427
- surgical exposure in retrosigmoid approach, 631
- surgical treatment of pial cerebellar arteriovenous fistulas with aneurysm of the main feeding artery, 90
- treatment of ruptured fusiform, in PCA with PCA-SCA anastomosis combined with parent artery occlusion, 621
- treatment of unruptured duplicated middle cerebral artery aneurysm, 190

Anterior cervical cage, evaluation of adjacent segment motion produced in after use of, 522–ed

Anterior cervical corpectomy, efficacy and safety of the use of ACP and TMC for interbody fusion after, 464

Anterior cervical plates (ACP), efficacy and safety of the use of TMC and, for interbody fusion after anterior cervical corpectomy, 464

Anterior communicating artery complex in adult Chinese heads, microsurgical anatomy of, 155

Anterior contralateral microdiskectomy, effects of, on radiological and clinical outcome, 446

Anterior cranial fossa, neuroenteric cyst of, 174

Antisense ligodeoxynucleotide, c-Met, in growth of glioma cells, 533

Arachnoid cyst
- helmetlike skull deformity with large, 95
- intraventricular, of the lateral ventricle extending from the supracerebellar cistern, 611

Arteriovenous fistulas (AVF)
- cavernous sinus dural, pontine venous congestion a complication of, 516
- factors that affect the surgical outcomes of spinal dural, 563
- tentorial dural, shows symptoms due to mass effect on the dilated draining vein, 511

Artery of Adamkiewicz, DAVF cause delayed drainage in, 506

Artificial cervical disc, evaluation of adjacent segment motion produced in after use of, 522–ed

Assimilation of the atlas, Chiari I malformation accompanied by Klippel-Feil syndrome, syringomyelia and, 497

Astrocytoma, secondary intracranial neoplasms exhibiting features of neuroblastoma and, in ALL, 490

Atlas-axis fracture: "triple" anterior screw fixation in a 92-year-old man, 58

Atrium, microsurgical anatomy of, of lateral ventricle, 436

Axial cervical computed tomography (CT), for interbody fusion within TMC, 464

Axonal regeneration, in adult paraplegic rats, 223

Axonal sprouting in brain, mechanism to prevent, 427

B

Basal ganglia hemorrhage, endoscopic surgery for, 547

Basilar artery (BA), association of CRM and absence of bilateral segmental ICA and, 615

Basilar megadolicho trunk causing obstructive hydrocephalus at foramina of Monro, 199

Blisterlike aneurysm, aneurysmal embolization of, of ICA, 628

0090-3019/$ – see front matter
doi:10.1016/S0090-3019(06)00213-8

Blood-brain barrier permeable drugs, effect on C6 glioms cells, 478
Bone marrow transplant (BMT), for acute lymphoblastic leukemia, 490
BOOK REVIEWS
Advanced pediatric craniocervical surgery, 525
Advances and Technical Standards in Neurosurgery Vol. 29, 423
Animal models of movement disorders, 525
Handbook of neurosurgery, 6th Ed, 525
Magnetic resonance in epilepsy: neuroimaging techniques, 2nd Ed, 525
Models of seizures and epilepsy, 213
Pediatric neurovascular disease, 525
Thrombolytic therapy for acute stroke, 2nd ed, 423
Brain abscess, prognostic factors of, 557
Brain lesions, subcortical, transsulcal microsurgical approach for, 312
Brain metastases
from parathyroid carcinoma, treatment of, 81
radiosurgery for, 323
Brain microcirculation, controls of, 531
Brainstem compression, intramedullary lipoma of the cervicodorsal spinal cord with intracranial extension cause, 486
Brainstem venous congestion, a complication of CS-dAVF, 516
Brain tumor
with acute lymphoblastic leukemia, causes of, 490
diltiazem effects on, 478
Branched stents, 3–ed

C
C3 and C4 aneurysm, Tolosa-Hunt syndrome associated with, 304
Capillary hemangiomas, dumbbell-shaped, epidural, with intrathoracic extension in PNS, 584
Carotid cut down, for endovascular access, 207
Carotid endarterectomy (CEA), intraoperative ischemia and postischemic delayed hypoperfusion in, cause cognitive impairment, 577
Carotid rete mirabile (CRM), association of absence of bilateral segmental ICA and BA with, 615
Cavernoma metastasis, melanoma to intracranial, 402
Cavernous angiomas, in PNS, 584
Cavernous sinus dural arteriovenous fistula (CS-dAVF), pontine venous congestion a complication of, 516
Cavernous sinuses, Tolosa-Hunt syndrome affecting, 304
Cavernous sinus invasion (CSI), by pituitary adenoma (PA), use of magnetic resonance imaging to evaluate preoperative imaging criteria for, 130
Cavernous sinus meningioma, fractionated stereotactic radiotherapy in the treatment of, 28
C1-C2 transarticular screw fixation, in presence of C1-type II odontoid fracture, 58
Central cord syndrome, clinical evaluation of traumatic, 117
Cerebellum, occurring of meningioangiomatosis associated with NF in, 595
Cerebral angiography, for CS-dAVF with brainstem venous congestion, 516
Cerebral blood oxygenation (CBO), monitoring of hemodynamics and, during EC-IC bypass surgery by VLS system, 569
Cerebral dural arteriovenous fistula (DAFV), association of progressive cervical myelopathy, normal venous drainage and, of the thoracolumbar cord, 506
Cerebral ischemia, during STA-MCA anastomosis, VLS system for monitoring of, 569
Cerebral metastases, radiosurgery for, 323
Cerebrospinal fluid (CSF)
leakage, prolonged Jackson-Pratt (JP) drainage for management, 410
Cerebrovascular accident, abciximab for treatment of, 352
Cervical reconstruction, involving TMC for interbody fusion with ACP after anterior cervical corpectomy, 464
Cervical spine, aneurysmal bone cyst of, in child, 298
Cervical trauma, vertebral artery injury after blunt, 238
Cervicothoracic junction, surgical approaches for patients with instabilities of upper thoracic and, 454
C6 gliomas, effects of noscapine, diltiazem and, taxol on S-phase depletion and clonogenic death of, 478
Chemotherapy for glioblastoma, tailored, 107
Chiari I malformation, accompanied by assimilation of the atlas, Klippel-Feil syndrome, and syringomyelia, 497
Chronic subdural hematoma, twist drill craniostomy for, 150
C-Met antisense oligonucleotide (ASODN), effect of, on growth of glioma cells, 533
$^{11}$C-methionine positron emission tomography for Lhermitte-Duclos disease, 293
Cognitive impairment, cause postischemic delayed hypoperfusion and intraoperative ischemia in CEA without neurologic deficits, 577
Collagen-based dural substitute, in endoscopic endonasal transsphenoidal surgery, 144
Colloid cyst, hemorrhagic, 84
Compound elevated skull fractures, 503
Computed tomographic angiography (CTA), for vertebrobasilar insufficiency due to cervical spondylosis, application of dynamic 3-dimensional, 625
Computed tomography (CT)
axial cervical, for interbody fusion within TMC, 464
craniospinal, for diagnosis of spinal cord lipoma with intracranial extension, 486
reconstructive sagittal cervical, for interbody fusion within TMC, 464
Constellations and neuromedicine, relation between, 99
Contralateral approach, for anterior contralateral microdiskectomy, 446
Corpectomy
anterior cervical, efficacy and safety of the use of ACP and TMC for interbody fusion after, 464
efficacy and safety of the use of ACP and TMC for interbody fusion after anterior cervical, 464

Cowden syndrome, Lhermitte-Duclos disease a manifestation of, 293
Cranial computed tomography, in high-risk, mildly head-injured (MHI) patients, S1:10
Cranial reconstruction after posterior fossa craniectomy, simple and safe method of, 63
Craniofix, fronto-orbital craniotomy reconstruction using, 51
Craniospinal computed tomography, for diagnosis of spinal cord lipoma with intracranial extension, 486
Craniosynostosis, surgical treatment of nonsyndromic, S1:22
Craniotomy, for basal ganglia hemorrhage, 547
CT scan, cranial, in high-risk, mildly head-injured patients, S1:10

D

Decompressive hemicraniectomy, for tumefactive demyelination with transtentorial herniation, 582
Diffuse large B-cell lymphoma, involvement to secondary central nervous system, 590
Diltiazem, effects of noscapine, taxol and, on S-phase depletion and clonogenic death of C6 glioma cells, 478
3-dimensional rotational angiography, measurement of size and location of ruptured and unruptured intracranial aneurysms using, 18
Distichiasis and lymphedema syndrome, Type I congenital multiple intraspinal extradural cysts associated with, 162
Draining vein
  tentorial dural arteriovenous fistula shows symptoms due to mass effect on the dilated, 511
  tentorial dural AVF shows symptoms due to mass effect on the dilated, 511
Drugs
  effects of blood-brain barrier permeable, on C6 glioms cells, 478
Duplicated middle cerebral artery aneurysm (DMCA), treatment of unruptured, 190
Dural arteriovenous fistula (DAFV), intracranial, association of perimedullary venous drainage with, 506
Dural closure techniques:a safety study in rats, 42
Duroplasty, compound elevated skull fractures, 503

E

EC-IC bypass surgery, monitoring of CBO and hemodynamics during, by VLS system, 569
Editorial
  Addiction and pain medicine, 219
  Advice for a young neurosurgeon, 35
  Evaluation of motion produced in adjacent segments after use of an anterior cervical cage or artificial cervical disc: evaluation of a recently published study in the Journal of Neurosurgery Spine 2005, 522
  Failed back surgery patients: the alarm bells are ringing, 5
  The future for neurology and psychiatry, 212
  How can you change direction in neurosurgery to adapt to the changes in our specialty? Strategies for your future, 102
Editorial
  I told you it was going to happen....Part II, 525
  Malpractice issues in neurological surgery, 416
  Perioperative genomics, 422
  Research news and notes, 3
  A revolution in skull base surgery: the quality of life matters!, 635
  Surgery as art, 315
  In this issue, 1, 105, 215, 321, 425, 529, S1:1
  You are going to live to 120 years of age!, 109
Elevated skull fractures, compound, 503
Endonasal transsphenoidal surgery, using standard endonasal and extended suprasellar endonasal approach, 332
Endoscopic surgery
  for basal ganglia hemorrhage, 547
  of brain, skull base, and spine, 3–ed
Endovascular neuro-interventions, direct access to the carotid circulation by cut down, 207
Extended transsphenoidal approach, for endonasal transsphenoidal surgery, 332
Extracranial-intracranial (EC-IC) bypass surgery, monitoring of CBO and hemodynamics during, by VLS system, 569
Extranodal Rosai-Dorfman disease with multiple spinal lesions, 308

F

Failed back surgery patients: the alarm bells are ringing, 5–ed
Fiber dissection, to study microsurgical anatomy of the atrium of the lateral ventricle, 436
Fibrous dysplasia of the clivus with a second T8 bone lesion, 202
Fish oil supplements, for spine pain relief, 326
Foramen transversarium, application of CTA for vertebrobasilar insufficiency, 625
Foramina of Monro, megadolicho basilar artery causing obstructive hydrocephalus at, 199
Fractionated stereotactic radiotherapy (FSRT), in treatment of exclusive cavernous sinus meningioma: functional outcome, local control, and tolerance, 28
Fractures, compound elevated skull, 503
Frameless stereotaxy, transsulcal microsurgical approach for small subcortical brain lesions, guided by, 312
Fronto-orbital craniotomy reconstruction using the titanium clamp (Craniofix), 51
FSRT, 28
Fusiform aneurysm, treatment of ruptured, with PCA-SCA anastomosis combined with parent artery occlusion, 621

G

Gamma knife radiosurgery, for intracranial mature teratoma, 343
Gastrostomy, catheter placement, pneumocephalus in patient with ventriculoperitoneal shunt after percutaneous, 87
Genetics
  C-Met antisense ligodeoxynucleotide in growth of glioma cells, 533

Genetics
glioblastoma multiforme (GBM), effect of intranasal delivery of perillyl alcohol (POH) in a patient with relapsed, S1:2
lack of association between the *IL1A* gene (-889) polymorphism and outcome after head injury, 7
Germ cell tumors
gamma knife radiosurgery for, 343
or medulloblastoma, percutaneous long-tunneled ventricular drainage for patients with, 74
Glasgow Coma Scale, to assess value of cranial computed tomography in high-risk, mildly head-injured patients, S1:10
Glial tumor, effects of noscapine, diltiazem, and taxol on, 478
Glioblastoma multiforme (GBM), effect of intranasal delivery of perillyl alcohol (POH) in a patient with relapsed, S1:2
Glioma cells, effect of c-Met antisense oligonucleotide (ASODN) on growth of, 533
Gliomas
effects of noscapine, diltiazem, taxol, and radiation on S-phase depletion and clonogenic death of C6, 478
patterns of neuroaxis dissemination of, 472

H
Head injury
lack of association between the *IL1A* gene (-889) polymorphism and outcome after, 7
severe, efficacy and safety of hypertonic saline solutions in treatment of, 539
Helmetlike skull, deformity with large arachnoid cyst, 95
Hemangiopericytoma, giant middle fossa, major depression with psychosis after resection of, 290
Hemorrhagic colloid cyst, 84
Historical vignette
constellations and neuromedicine, relation between, 99
Huntington's disease (HD), fetal cell transplantation in, 323
Hydrocephalus
basilar megadolicho trunk causing obstructive hydrocephalus at foramina of Monro, 199
pneumocephalus in a patient with a ventriculoperitoneal shunt after percutaneous gastrojejunostomy catheter placement, 87
Hypertonic saline (HS), efficacy and safety of, in treatment of severe head injury, 539
Hypoglossal tumor, transcervical approach for surgical treatment of, with paraspinal extension, 397

I
*IL1A* gene (-889) polymorphism, lack of association between, and outcome after head injury, 7
Imaging
clinical evaluation of traumatic central cord syndrome: emphasis on clinical significance of prevertebral hyperintensity, cord compression, and intramedullary high-signal intensity on magnetic resonance imaging, 117
Imaging
cranial computed tomography in high-risk, mildly head-injured patients, S1:10
intraoperative angiography for neurovascular disease in prone or three-quarter prone position, 283
Lhermitte-Duclos disease, 293
microelectrode recording, in magnetic image–directed subthalamic nucleus deep brain stimulation for parkinsonism resonance image, 253
Immunohistochemistry for CPP with psammomatous bodies, 604
Indolent lymphoma, involvement to secondary central nervous system spread, 590
Infection, prognostic factors of brain, 557
Interbody fusion
efficacy and safety of the use of ACP and TMC for, after anterior cervical corpectomy, 464
retroperitoneal approach for lumbar, with anterolateral instrumentation for treatment of spondylolisthesis and degenerative foraminal stenosis, 111
Intermuscular lipoma, posterior interosseous nerve palsy due to, 495
Internal carotid artery aneurysm, Parry-Romberg syndrome with, 170
Internal carotid artery (ICA)
aneurysmal embolization of blisterlike aneurysm of, 628
association of CRM and absence of BA and bilateral segmental, 615
Intracerebral hemorrhage, spontaneous, efficacy of surgery for, 67
Intracranial aneurysm(s)
formation of pediatric ruptured, after radiotherapy for retinoblastomas, 391
measurement of size and location of ruptured and unruptured, by 3-dimensional rotational angiography, 18
Intracranial extension, intramedullary lipoma of the cervicodorsal spinal cord with, 486
Intracranial hemangiopericytomas, correlation of topoisomerase IIα expression with biologic behavior, 11
Intracranial metastatic parathyroid carcinoma, 81
Intracranial pressure, arachnoid cyst of the lateral ventricle extending from the supracerebellar cistern, 611
Intramedullary high-signal intensity (IMHSI), evaluation of prognostic and clinical value of, 117
Intramedullary spinal tuberculoma, 185
Intranasal delivery, effect of, of perillyl alcohol (POH) in a patient with relapsed glioblastoma multiforme (GBM), S1:2
Intraoperative angiography, for neurovascular disease in prone or three-quarter prone position, 283
Intraoperative ischemia, cognitive impairment cause postischemic delayed hypoperfusion and, in CEA without neurologic deficits, 577
Intraprocedural thromboembolic events, abciximab for treatment of, during neuroendovascular procedures, 352

Intraventricular arachnoid cyst, of the lateral ventricle extending from the supracerebellar cistern, 611

J

Jackson-Pratt (JP) drain placement, for CSF leak management, 410
Jejunostomy, catheter placement, pneumocephalus in patient with ventriculoperitoneal shunt after percutaneous, 87
JP drain placement, for CSF leak management, 410

K

Klippel-Feil syndrome, Chiari I malformation accompanied by, syringomyelia, assimilation of the atlas, and, 497
Kyphosis, relationship between clinical outcome in patients undergoing anterior contralateral microdiskectomy patients and, 446

L

Laminoplasty, and complete microsurgical excision of Type I congenital multiple intraspinal extradural cysts, clinical recovery of neurological deficit, 162
Laser-Doppler flowmetry, monitoring of CBO and hemodynamics during EC-IC bypass surgery by, 569
Lateral ventricle
  microsurgical anatomy of the atrium of, 436
  trigonal cavernous angiomas in, 367
Leptomeningeal metastases, in metastatic prostate cancer, 372
Lhermitte-Duclos disease, $^{11}$C-methionine positron emission tomography visualizes lesion of, 293
Ligamentum flavum, ossification of, in spine causing thoracic compressive myelopathy, 377
Lumbar hemorrhagic synovial cysts (LHSC), diagnosis, pathogenesis, and treatment of, 385

M

Macrocrania symptom, of arachnoid cyst of the lateral ventricle extending from the supracerebellar cistern, 611
Magnesium sulfate, role as possible attenuating factor in vasospasm morbidity, S1:14
Magnetic resonance imaging (MRI)
  contribution to classification of patterns of neuroaxis dissemination of gliomas, 472
  for CS-dAVF with brainstem venous congestion, 516
  for diagnosis of spinal cord lipoma with intracranial extension, 486
  to evaluate preoperative imaging criteria for cavernous sinus invasion (CSI) by pituitary adenoma (PA), 130
  non-invasive diagnosis of spinal pathology, 162
Mass effect, tentorial dural arteriovenous fistula (AVF) shows symptoms due to, on the dilated draining vein, 511
Mature teratoma, gamma knife radiosurgery for intracranial, 343
Medulloblastoma or germ cell tumors, percutaneous long-tunneled ventricular drainage for patients with, 74
Megadolicho basilar artery, causing obstructive hydrocephalus at foramina of Monro, 199
Melanoma to intracranial cavernoma metastasis, 402
Meningioangiomatosis (MA) associated with neurofibromatosis, etiology, pathology, and imaging features of, 595
Meningioma
  cavernous sinus, fractionated stereotactic radiotherapy in treatment of, 28
  meningioangiomatosis in, 595
  transient memory disturbance after removal of intraventricular trigonal, by a parieto-occipital interhemispheric precuneus approach, 162
Metastatic prostate cancer, leptomeningeal carcinomatosis in patients with, 372
Microelectrode recording, in magnetic image–directed subthalamic nucleus deep brain stimulation for parkinsonism resonance image, 253
Microsurgical anatomy
  of anterior communicating artery complex in adult Chinese heads, 155
  of the atrium of the lateral ventricle, 436
Mild head-injured (MHI) patients, cranial computed tomography in high-risk, S1:10
Moyamoya disease, monitoring of CBO and hemodynamics in patients with, 569
Multiple spinal lesions, extranodal Rosai-Dorfman disease with, 308

N

Neoplasm(s)
  depression with psychosis after resection of giant middle fossa hemangiopericytoma, 290
  fibrous dysplasia of the clivus with a second T8 bone lesion, 202
  follicular lymphomas involvement to secondary central nervous system, 590
  helmetlike skull deformity with large arachnoid cyst, 95
  hemorrhagic colloid cyst, 84
  intracranial hemangiopericytomas:correlation of topoisomerase IIα expression with biologic behavior, 11
  intracranial metastatic parathyroid carcinoma, 81
  intramedullary lipoma of the cervicodorsal spinal cord with intracranial extension, 486
  leptomeningeal carcinomatosis in metastatic prostate cancer patient, 372
  meningioangiomatosis associated with neurofibromatosis, 595
  MRI findings contribution to the classification of patterns of neuroaxis dissemination of gliomas, 472
  neuroenteric cyst of anterior cranial fossa, 174
  pineal epidermoid cysts, 124
  primary diffuse leptomeningeal gliomatosis, 273
  psammomatous choroid plexus papilloma (CPP), 604
  secondary intracranial, exhibiting features of astrocytoma and neuroblastoma in children treated for ALL, 490
  transbasal approach to skull base tumors, S1:33
  trigonal cavernous angiomas, 367
  tumor-to-cavernoma metastasis, 402

Neoplasm(s)
ventricular drainage for patients with germ cell tumors or medulloblastoma, long-term, 74
Neuroaxis dissemination of gliomas, patterns of, 472
Neuroblastoma, secondary intracranial neoplasms exhibiting features of astrocytoma and, in ALL, 490
Neuroendovascular procedures, abciximab for treatment of cerebral thromboembolic complications during, 352
Neuroenteric cyst of anterior cranial fossa, 174
Neurofibromatosis (NF), meningioangiomatosis (MA) associated with, etiology, pathology, and imaging features of, 595
Neurofibromatosis type 1 (NF-1), sacrum scalloping in, caused by giant cell lesion of the sacrum, assessment of, 194
Neurological surgery, malpractice issues in, 416–ed
Neuromedicine and constellations, relation between, 99
Neurosurgeons, advice for young, 35–ed
Neurosurgery, strategies for future, 102–ed
Neurosurgical cleavage planes, water dissection technique of Toth for opening, 38
Neurovascular disease, in prone or three-quarter prone position, intraoperative angiography for, 283
Nonsteroidal anti-inflammatory drugs (NSAID), omega-3 essential EFA as an alternative to, for discogenic spine pain relief, 326
Nonsuture dural repair technique, using polyglycolic acid mesh and fibrin glue, clinical application to spinal surgery, 136
Nonsuture duroplasty, using PGA mesh and fibrin glue, efficacy and safety of, 136
Noscapine, effects of diltiazem, taxol and, on S-phase depletion and clonogenic death of C6 glioma cells, 478
Nurogenic thoracic outlet syndromes (NTOS), 262

O
Odontoid anterior screw fixation, in presence of C1-type II odontoid fracture, 58
Oligodendrogliomas, neuroaxis dissemination of, 472
Omega-3 essential fatty acids (EFA)
for pain relief, 325
for spine pain relief, 326
OMgp, for prevention of axonal sprouting in the brain, 427
Optic radiation, fiber dissection technique to study microsurgical anatomy of the atrium of the lateral ventricle and, 436
Osseous metaplasia, in CPP and papillary carcinomas, occurrence of, 604
Ossified yellow ligament (OYL), thoracic compressive myelopathy by, 377

P
Pain
omega-3 fatty acids as an anti-inflammatory drug for spine, 326
omega-3 fatty acids to diminish, 325
Paraplegic rat, adult, treatment with cell grafting in, 223
Parathyroid carcinoma, brain metastasis from, treatment of, 81
Parenchymal CNS involvement, to secondary central nervous system for systemic lymphomas, 590
Parkinsonism resonance image, microelectrode recording in magnetic image–directed subthalamic nucleus deep brain stimulation for, 253
PCA-SCA anastomosis, treatment of ruptured fusiform aneurysm in PCA with, 621
Percutaneous long-tunneled ventricular drainage (PLTVD), for patients with medulloblastoma or germ cell tumors, 74
Perillyl alcohol (POH), effect of intranasal delivery of, in a patient with relapsed glioblastoma multiforme (GBM), S1:2
Perimedullary venous drainage, association of cerebral DAVF with, 506
Perioperative genomics, 422–ed
Peripheral nerves
posterior interosseous nerve palsy due to intermuscular lipoma, 495
proximal nerve root capillary hemangiomas presenting as a lung mass with bandlike chest pain, 584
Peripheral nervous system (PNS), capillary hemangiomas in, presenting as a lung mass with bandlike chest pain, 584
PGA mesh and fibrin glue (PGA-fibrin sheet), nonsuture duroplasty using, efficacy and safety of, 136
Pial arteriovenous fistulas (pAVFs), surgical treatment of, with aneurysm of the main feeding artery, 90
Pineal epidermoid cysts, 124
Pituitary
evaluation of magnetic resonance imaging criteria for cavernous sinus invasion in patients with pituitary adenomas: logistic regression analysis and correlation with surgical findings, 130
Pituitary adenoma (PA)
cavernous sinus invasion (CSI) by, use of magnetic resonance imaging to evaluate preoperative imaging criteria for, 130
standard and extended transsphenoidal approach for endonasal transsphenoidal surgery of, 332
Pneumocephalus, in a patient with a ventriculoperitoneal shunt after percutaneous gastrojejunostomy catheter placement, 87
Pontine venous congestion, a complication of CS-dAVF, 516
Posterior cerebral artery (PCA), treatment of ruptured fusiform aneurysm in, with PCA-SCA, 621
Posterior cerebral artery-superior cerebellar artery (PCA-SCA) anastomosis, treatment of ruptured fusiform aneurysm in PCA with, 621
Posterior fossa craniectomy, simple and safe method of cranial reconstruction after, 63
Posterior fossa surgery, to evaluate need of cerebellar retractors, 631

Posterior interosseous nerve palsy due to intermuscular lipoma, 495
Postischemic delayed hypoperfusion, cognitive impairment cause intraoperative ischemia and, in CEA without neurologic deficits, 577
Prevertebral hyperintensity, evaluation of prognostic and clinical value of, 117
Primary diffuse leptomeningeal gliomatosis, 273
Progressive facial hemiatrophy, with a giant internal carotid artery aneurysm, 170
Prostate-specific antigen (PSA) levels, in CNS metastasis in prostate cancer, 372
Psammomatous choroid plexus papilloma, 604
Psychosis, in patients undergoing resection of large skull base tumor, 290

R
Radiation therapy effects on C6 glioma cells, 478
Radiation vasculopathy, formation of pediatric ruptured intracranial aneurysm after, for retinoblastomas, 391
Radiosurgery
  for cerebral metastases, 323
  gamma knife, for intracranial mature teratoma, 343
Radiotherapy
  fractionated stereotactic radiotherapy (FSRT) in treatment of exclusive cavernous sinus meningioma: functional outcome, local control, and tolerance, 28
Reconstructive sagittal cervical CT, for interbody fusion within TMC, 464
ReoPro (abciximab), for treatment of acute cerebral thromboembolic complications during neuroendovascular procedures, 352
Research news and notes
  axonal sprouting in the brain, mechanism to prevent, 427
  branched stents—endovascular evolution continues, 3
  continuous temozolomide, 107
  endoscopic surgery of the brain, skull base, and spine, 3
  fetal cell transplantation does not help in Huntington's disease, 323
  fuzzy logic in neurosurgical intensive care unit, 217
  go with the CSF flow—the tale of a young neuron, 427
  image-guided surgery, 217
  immune system fights amyloid plaques, 531
  new "scaffold" helps reconnect severed axons, 531
  radiosurgery for cerebral metastases, 323
  reanalysis of the natural history of unruptured aneurysms, 427
  robotic surgery, routine application of, 323
  statins for vasospasm, 3
  tailored chemotherapy for glioblastoma, 107
  temozolomide for recurrence, 107
  ultrasound-based treatment of lesions, 217
  vagus nerve stimulation for depression, 107
  what controls the brain microcirculation?, 531
Retroperitoneal approach, for lumbar interbody fusion with anterolateral instrumentation for treatment of spondylolisthesis and degenerative foraminal stenosis, 111
Retrosigmoid approach, need for cerebellar retractors during, 631
Retrospective analysis, factors that affect the surgical outcomes of spinal dural AVF, 563
Robotic surgery, application of, 323

S
Sacrum scalloping in neurofibromatosis type 1 (NF-1) caused by giant cell lesion of the sacrum, assessment of, 194
"Scaffold," for reconnect severed axons, 531
Schwannoma, transcervical approach for surgical treatment of hypoglossal, with paraspinal extension, 397
Secondary central nervous system (CNS), involvement by follicular lymphomas, 590
Single-photon emission CT (SPECT), for tentorial dural AVF, 511
Skull base surgery, revolution in, 635–ed
Skull base tumors, transbasal approach (TBA) to, S1:33
Skull fractures, compound elevated, 503
Spinal alignment, relationship between clinical outcome in patients undergoing anterior contralateral microdiskectomy and, 446
Spinal cord, capillary hemangiomas from, 584
Spinal cord compression, intramedullary lipoma of the cervicodorsal spinal cord with intracranial extension cause, 486
Spinal cord lipoma, with intracranial extension cause compression of spinal cord and brainstem, 486
Spinal cord tumors with intracranial extension cause brainstem and spinal cord compression, 486
Spinal dural AVF, factors that affect the surgical outcomes of, 563
Spinal epidural abscess (SEA), in a patient with Crohn's disease, sterile recurrent, 178
Spinal stabilization, surgical approaches for patients undergoing, for upper thoracic and cervicothoracic junction instabilities, 454
Spine
  Chiari I malformation accompanied by assimilation of the atlas, Klippel-Feil syndrome, and syringomyelia, 497
  compression of, due to OYL, 377
  extranodal Rosai-Dorfman disease with multiple spinal lesions, 308
  factors that affect the surgical outcomes of AVF of, 563
  intramedullary spinal tuberculoma, 185
  lumbar hemorrhagic synovial cysts of, diagnosis, pathogenesis, and treatment of, 385
  omega-3 EFA as an anti-inflammatory drug for pain in, 326
  paraplegic rat, adult, treatment with cell grafting in, 223
  relationship between clinical outcome in patients undergoing anterior contralateral microdiskectomy and alignment of cervical, 446

Spine
retroperitoneal approach for lumbar interbody fusion with anterolateral instrumentation for treatment of spondylolisthesis and degenerative foraminal stenosis, 111
sacrum scalloping in neurofibromatosis type 1 (NF-1) caused by giant cell lesion of the sacrum, assessment of, 194
selection of surgical approaches for patients with upper thoracic and cervicothoracic junction instabilities, 454
sterile recurrent spinal epidural abscess in a patient with Crohn's disease, 178
Type I congenital multiple intraspinal extradural cysts associated with distichiasis and lymphedema syndrome, 162
Spine-Pediatric
aneurysmal bone cyst of cervical spine in a child, 298
Spontaneous putaminal hemorrhage, impact of SHE on chronic period medical costs in patients with, 429
Statins for vasospasm, 3–ed
Stem cells grafting, in adult paraplegic rat, 223
Stereotactic aspiration, for basal ganglia hemorrhage, 547
Stereotactic CT-guided brain biopsies, diagnostic yield based on a series of 170 patients, S1:27
Stereotactic hematoma evacuation (SHE), on chronic period medical costs in spontaneous putaminal hemorrhage patients, impact of, 429
Stereotaxis
impact of SHE on chronic period medical costs in spontaneous putaminal hemorrhage patients, 429
Stereotaxy
Stereotactic computed tomography–guided brain biopsy: diagnostic yield based on a series of 170 patients, S1:27
Stroke, abciximab for treatment of, during neuroendovascular procedures, 352
Subarachnoid hemorrhage (SAH)
formation of, after radiotherapy for retinoblastomas, 391
role of magnesium sulfate in, S1:14
transcranial Doppler after, 247
Subthalamic nucleus deep brain stimulation (STN-DBS), for parkinsonism, 253
Subventricular zone (SVZ) in brain, neurons in, 427
Sump antibiotic irrigation system, to save infected hardware in a patient with a vagal nerve stimulator, use of, 48
Superficial temporal artery–middle cerebral artery (STA-MCA) anastomosis, monitoring of CBO during, by VLS system, 569
Superior ophthalmic vein (SOV), treatment of spontaneous arteriovenous fistula of orbit using direct surgical exposure of, 55
Supramanubrial cervical approach, for patients with upper thoracic and cervicothoracic junction instabilities, 454
Surgery
for spontaneous intracerebral hemorrhage, efficacy of, 67
for treatment of lumbar hemorrhagic synovial cysts, 385
Surgical approaches to study microsurgical anatomy of the atrium of the lateral ventricle, 436
Surgical technique
acute combination fracture of atlas and axis: "triple" anterior screw fixation in a 92-year-old man, 58
bedside twist drill craniostomy for chronic subdural hematoma, 150
comparative dural closure techniques: a safety study in rats, 42
cranial reconstruction after posterior fossa craniectomy, simple and safe method of, 63
decompressive hemicraniectomy, for tumefactive demyelination with transtentorial herniation, 582
direct access to carotid circulation by cut down for endovascular neuro-interventions, 207
equine collagen foil as dura mater substitute in endoscopic endonasal transsphenoidal surgery, use of, 144
extended transsphenoidal approach, for endonasal transsphenoidal surgery, 332
fronto-orbital craniotomy reconstruction using the titanium clamp (Craniofix), 51
hypertonic saline solutions, efficacy and safety of, in treatment of severe head injury, 539
nonsuture dural repair using polyglycolic acid mesh and fibrin glue: clinical application to spinal surgery, 136
prolonged Jackson-Pratt drainage, for the management of lumbar CSF leaks, 410
spontaneous arteriovenous fistula of orbit, 55
sump antibiotic irrigation system to save infected hardware in a patient with a vagal nerve stimulator, use of, 48
surgical exposure in retrosigmoid approach, 631
surgical treatment of nonsyndromic craniosynostosis, S1:22
transcervical approach for treatment of hypoglossal schwannoma with paraspinal extension, 397
transient memory disturbance after removal of intraventricular trigonal meningioma by a parieto-occipital interhemispheric precuneus approach, 162
transnasal approach, for endonasal transsphenoidal surgery, 332
transsulcal microsurgical approach for subcortical small brain lesions, 312
water dissection technique, of Toth for opening neurosurgical cleavage planes, 38
Surgical treatment of nonsyndromic craniosynostosis, S1:22
Syringomyelia, Chiari I malformation accompanied by Klippel-Feil syndrome, assimilation of the atlas, and, 497

T
Taxol, effects of noscapine, diltiazem and, on S-phase depletion and clonogenic death of C6 glioma cells, 478
Technical note
acute combination fracture of atlas and axis: "triple" anterior screw fixation in a 92-year-old man, 58
fronto-orbital craniotomy reconstruction using the titanium clamp (Craniofix), 51
sump antibiotic irrigation system to save infected hardware in a patient with a vagal nerve stimulator, use of, 48

Temozolomide
continuous, 107
for recurrence, 107
Tentorial dural arteriovenous fistula (AVF), shows symptoms due to mass effect on the dilated draining vein, 511
Thoracic myelopathy, by ossified yellow ligament (OYL), 377
Thoracic outlet syndrome
neurogenic thoracic outlet syndromes (NTOS), 262
Thromboembolic events, abciximab for treatment of, during neuroendovascular procedures, 352
Titanium mesh cages (TMC), efficacy and safety of the use of ACP and, for interbody fusion after anterior cervical corpectomy, 464
Tolosa-Hunt syndrome, case of, associated with C3 and C4 aneurysms, 304
Topoisomerase IIα proliferation index (TPI), correlation with biologic behavior in intracranial hemangiopericytomas, 11
Transbasal approach (TBA) to skull base tumors, S1:33
Transcervical approach for surgical treatment of hypoglossal schwannoma with paraspinal extension, 397
Transcranial Doppler (TCD), after subarachnoid hemorrhage, 247
Transient memory disturbance after removal of intraventricular trigonal meningioma by a parieto-occipital interhemispheric precuneus approach, 162
Transmanubrial approach, for patients with upper thoracic and cervicothoracic junction instabilities, 454
Transnasal approach, for endonasal transsphenoidal surgery, 332
Transsphenoidal surgery, collagen-based dural substitute in endoscopic endonasal, 144
Transsulcal microsurgical approach, for subcortical small brain lesions, 312
Trauma
compound elevated skull fracture, 503
vertebral artery injury after blunt cervical, 238
Trigonal cavernous angiomas, 367
Tumefactive demyelination, decompressive hemicraniectomy for, with transtentorial herniation, 582
Tumefactive multiple sclerosis, decompressive hemicraniectomy for, 582
Tumor-to-intracranial tumor metastasis, 402
Twist drill craniostomy, for chronic subdural hematoma, 150
Type I congenital multiple intraspinal extradural cysts, associated with distichiasis and lymphedema syndrome, 162

V
Vagal nerve stimulator (VNS), use of a sump irrigation system to treat battery implantation site of, 48
Vagus nerve stimulation for depression, 107
Vascular malformation, association of capillary hemangiomas of PNS to, 584
Vasospasm
magnesium sulfate, role as possible attenuating factor in vasospasm morbidity, S1:14
morbidity, role of magnesium sulfate in, S1:14
statins for, 3–ed
Ventricular drainage (PLTVD), for patients with germ cell tumors or medulloblastoma, percutaneous long-tunneled, 74
Ventriculoperitoneal shunt, pneumocephalus in a patient with, after percutaneous gastrojejunostomy catheter placement, 87
Vertebral artery, rotational, insufficiency resulting from cervical spondylosis, 625
Vertebral artery injury (VAI), after blunt cervical trauma, 238
Vertebrobasilar insufficiency, application of CTA for, due to cervical spondylosis, 625
Visible light spectroscopy (VLS) system, for monitoring of CBO and hemodynamics during EC-IC bypass surgery, 569
VNS, 48

W
Water dissection technique, of Toth for opening neurosurgical cleavage planes, 38